



SLIDING




SOCIALIZING




CLIMBING

INFORMATION ABOUT THE PRODUCT

| | |
|--|-------------------|
| Dimensions | 492 x 524 cm |
| Safety zone | 792 x 874 cm |
| Safety zone area | 53 m ² |
| Overall height | 327 cm |
| Free fall height | 150 cm |
| Amount of users | 18 |
| Product complies with EN 1176-1:2017-12 | YES |
| Availability of spare parts | YES |
| Age range | 3-12 |
| According to EN 1176-1:2017-12 norm, the product requires applying a safety surface according to the product's free fall height. | |





MATERIALS:

| | | | | | |
|--|--|--|--|---|--|
| CONSTRUCTION ELEMENTS MADE OF STAINLESS AISI 304 | PLATES OF THE WALLS MADE OF COLOURFUL TRIPLE LAYERED 15 MM HDPE POLYETHYLENE, IN THE HIGHEST QUALITY | ANTI-SLIP BLUE 13 MM HPL PLATFORM PLATE SERIES: ACTIV | HEMISPHERIC WINDOW WITH A DIAMETER OF 400 MM, MADE OF HEAT-FORMED POLYCARBONATE 5 MM | POLYPROPYLENE ROPES PPMULTISPLIT TYPE WITH A STEEL CORE AND A DIAMETER OF 16 MM | |
| | | | | | |
| PLATES OF THE WALLS AND PLATFORMS MADE OF COLOURFUL 13 MM HPL IN THE HIGHEST QUALITY | SLIDES MADE OF STAINLESS STEEL AISI 304. SIDE PANELS MADE OF HDPE POLYETHYLENE | PLATE AND ROPE CONNECTORS MADE OF INJECTION MOLDED POLYAMIDE | TUBE MADE OF LDPE POLYETHYLENE ROTATIONALLY MOLDED WITH THE INNER DIAMETER OF 53,3 CM AND THE LENGTH OF 125 CM | ROPE ENDINGS PRESSED IN A SLEEVE MADE OF DURABLE ALUMINUM ALLOY | SOLID CONSTRUCTION MADE BLACK STEEL S235JR CLEANED IN THE SANDBLASTING PROCESS |
| | | | | | |

